ELSEVIER

Journal of Alloys and Compounds 266 (1998) 327

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 266

Akselrud, L.G., 17
Albering, J.H., 71
Anres, P., 241

Bauer, J., 1
Berezutski, V.V., 186
Bidaud, E., 1
Bloch, J., 180
Boily, S., 307
Bouaricha, S., 307
Brill, M., 180
Bros, J.P., 241
Brück, E., 43
Buscaglia, V., 201
Buschow, K.H.J., 43

Canepa, F., 22, 26
Caracciolo, F., 201
Carpaneto, L., 26
Chartouni, D., 321
Chen, Y., 150
Cho, W.-S., 118
Cimberle, M.R., 26
Cirafici, S., 22, 26
Cuevas, F., 255

Dahn, J.R., 234
Danilkin, S., 230
Dash, S., 77
de Boer, F.R., 43
De Pauw, V., 293
De Rango, P., 260
Devallencourt, C., 293
DiSalvo, F.J., 32
Dodelet, J.-P., 307
Dunlap, R.A., 234

Ebel, T., 71
Eelman, D.A., 234

Ferretti, M., 201
Flandorfer, H., 7
Fossati, P., 241
Franzen, H.F., 139, 155
Fruchart, D., 260
Fuess, H., 230
Fujii, H., L1
Fukamichi, K., 13
Fukuda, T., 104
Fukushima, K., 145
Furukawa, N., 111

Galadzhun, Ya.V., 17
Gaune-Escard, M., 241
Gibbons, P.C., 311
Gicala, B., 47
Godart, C., 7
Goto, T., 13
Gross, K., 321
Grünberger, W., 260
Grytsiv, A., 7
Guay, D., 307
Guo, Q., 224

Hamada, E., 118
Handstein, A., 260
Haschke, J.M., 81, 90
Hiebl, K., 1, 7
Hirscher, M., 255
Horiuchi, H., 104
Hormann, B., 134
Hsieh, S.F., 276
Huaiying, Z., 164
Hüfken, T., 158
Huot, J., 307
Hu, X., 54

Ibaraki, H., 145
Ijjaali, I., 61
Ikeda, K., L1
Inoue, H., 111
Ishida, K., 191
Ivanov, M.I., 186
Iwadate, Y., 145
Iwakura, C., 111

Jadrowski, E., 230
Jakubowicz, J., 318
Jang, K.-J., 271
Jang, K.-J., 266
Jeitschko, W., 54, 71, 158
Jialin, Y., 164
Jung, J.-H., 271
Jung, J.-H., 266
Jurczyk, M., 318

Kaczmarek, W.A., 283
Kainuma, R., 191
Kakihana, M., 129
Kalychak, Ya.M., 17
Kelton, K.F., 311
Kim, D.-M., 271
Kim, J.Y., 311
Kim, D.-M., 266
Kirchner, A., 260
Klaasse, J.C.P., 43
Kleinke, H., 139
Kleppa, O.J., 224
Kotzyba, G., 54
Kronmüller, H., 255
Kudrevatykh, N.V., 39
Kupsch, A., 207

Lee, J.-Y., 271
Lee, S.-M., 271
Lee, H.-H., 266
Lee, J.-Y., 266
Leithe-Jasper, A., 7
Lemarchand, D., 293
Li, C., 300
Liesert, S., 260
Liu, S., 247
Liu, X.J., 191
Luo, H., 32

MacKay, G.R., 234
Malaman, B., 61
Martz, J.C., 81, 90
Masuda, Y., 123
Merlo, F., 22, 26
Meyer, D.C., 207
Minagawa, K., 123
Minguzzi, M., 201
Mintz, M.H., 180
Mitamura, H., 13
Mommer, N., 255
Müller, J.-H., 134
Müller, K.-H., 260
Musenich, R., 201

Nakajima, H., 13
Nakazawa, T., 145
Niewa, R., 32
Noda, K., 145
Nützenadel, C., 321

Ohnuma, I., 191
Okubo, T., 129
Ono, K., 247
Orimo, S., L1

Pani, M., 26
Paufler, P., 207
Petzel, T., 134
Pirogov, A.N., 39
Polotska, R.I., 186
Prasad, R., 77
Pszczoła, J., 47
Puclin, T., 283

Reehuis, M., 54
Ressouche, E., 61
Richter, K., 207
Rogl, P., 1, 7

Saiter, J.M., 293
Saitow, A., 104
Saito, H., 13
Satoh, N., 191
Schlapbach, L., 321
Schmid, J., 216
Schultz, L., 260
Schulz, R., 307
Senoh, H., 111
Shirotori, S., 123
Shishido, T., 104
Singh, Z., 77
Skolozdra, R.V., 17
Sommer, F., 216
Staker, M.R., 167
Suwalski, J., 47
Suzuki, R.O., 247
Sysa, L.V., 17

Ueda, M., 111
Usenko, N.I., 186

Velikanova, T., 7
Venturini, G., 61
Venugopal, V., 77
Voronin, V.I., 39

Wang, C., 300
Wang, X., 300
Wieder, T., 230
Wipf, H., 230
Witte, A.M., 158
Wu, S.K., 276

Xiangli, O., 164

Yang, D.-K., 32
Yelon, W.B., 32
Yinghong, Z., 164
Yokota, H., 145
Yokoyama, T., 13
Yoshikawa, A., 104
Yukawa, Y., 123

Zaremba, V.I., 17
Zax, D.B., 32
Zeng, L., 155
Zhang, C., 43
Zimmer, B., 54
Zinin, A.V., 39
Züttel, A., 321

Elsevier Science S.A.
PII 0925-8388(97)00632-4

ELSEVIER

Journal of Alloys and Compounds 266 (1998) 329–333

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 266

Adiabatic calorimeter
heat capacity of liquid La–Mg–Ni alloys 216
Alkaline solution
theoretical evaluation for thermodynamic stability of constituents of hydrogen storage alloy in concentrated alkaline solution at higher temperature 111
Aluminum-substitution
B2-phase formation and hydriding properties of $(Mg_{1-x}Al_x)Ni$ (x= 0~0.5) L1
Amorphisation
structural changes in Co/Zr multilayers during annealing below the crystallisation temperature 207
Amorphous alloys
bulk and surface properties of crystalline and amorphous $Zr_{36}(V_{0.33}Ni_{0.66})_{64}$ alloy as active electrode material 321
Annealing condition
change in the itinerant-electron metamagnetic transition behavior by annealing in $Lu(Co_{1-x}Al_x)_2$ Laves phase compounds 13
Association model
heat capacity of liquid La–Mg–Ni alloys 216

Ball milling
increase of specific surface area of metal hydrides by lixiviation 307
Barium molybdate
thermochemical studies on $BaMoO_4$(s) 77
Bismuth
crystal structure of a new compound Bi_2NdNi 155

Calcium deoxidation
solid state deoxidation of niobium by calcium and magnesium 247
Ceramic
synthesis of alumina-nitride nanocomposites by successive reduction-nitridation in mechanochemically activated reactions 283
Cesium chloride-type structure
B2-phase formation and hydriding properties of $(Mg_{1-x}Al_x)Ni$ (x= 0~0.5) L1
Citric acid
low temperature powder synthesis of $LaAlO_3$ through in situ polymerization route utilizing citric acid and ethylene glycol 129
Coercivity
synthesis of Sm_2Fe_{17}-carbonitrides by mechanical grinding Sm_2Fe_{17} with pyrazine 318
Composite
synthesis of alumina-nitride nanocomposites by successive reduction-nitridation in mechanochemically activated reactions 283
Concentration gradient
change in the itinerant-electron metamagnetic transition behavior by annealing in $Lu(Co_{1-x}Al_x)_2$ Laves phase compounds 13
Continuous series of solid solution
phase diagram of the Co-rich Co–Pr–Nd system at 500 °C 164
Co–Pr–Nd system
phase diagram of the Co-rich Co–Pr–Nd system at 500 °C 164

Co/Zr
structural changes in Co/Zr multilayers during annealing below the crystallisation temperature 207
Crystallographic properties
structural anomaly in GdNiAl: a crystallographic, electric and magnetic investigation 22
Crystal structure
crystal structure and properties of $YbAg_2In_4$ and $CaAg_2In_4$ compounds 17
synthesis, crystal structure and properties of a lithium manganese nitride, $(Li, Mn)_2N$ 32
^{161}Dy Slater–Pauling dependence of $Dy(Mn_xCo_{1-x})_2$ intermetallics 47
preparation, crystal structure and magnetic properties of the uranium nickel phosphides UNi_3P_2, UNi_4P_2, $U_6Ni_{20}P_{13}$ and $U_2Ni_{12}P_7$ 71
synthesis of ultrafine $BaTiO_3$ particles from polymeric precursor: their structure and surface property 118
Hf_5CoAs_3, the first Hf rich hafnium cobalt arsenide: intercalation of Co vs. a Co/As exchange 139
crystal structure of a new compound Bi_2NdNi 155
preparation and crystal structure of quaternary silicide carbides with $Dy_2Fe_2Si_2C$ type structure 158
Cu-coating
degradation behavior of Cu-coated Ti–Zr–V–Mn–Ni metal hydride electrodes 266
Cu powder
effect of Cu powder as compacting material on the discharge characteristics of negative electrodes in Ni–MH batteries 271

Degradation
degradation behavior of Cu-coated Ti–Zr–V–Mn–Ni metal hydride electrodes 266
Deoxidation of niobium
solid state deoxidation of niobium by calcium and magnesium 247
Die-upsetting
preparation of anisotropic NdFeB magnets with different Nd contents by hot deformation (die-upsetting) using hot-pressed HDDR powders 260
Differential scanning calorimetry
on the thermodynamics of the rhombohedral-cubic phase transition of thulium(III)oxide fluoride 134
Differential thermal analysis
on the thermodynamics of the rhombohedral-cubic phase transition of thulium(III)oxide fluoride 134
Disordered structure
crystal structure of Er_2Fe_{17} nitride 39
Dispersal
oxidation kinetics of plutonium in air from 500 to 3500°C. Application to source terms for dispersal 81
a mechanism for combustive heating and explosive dispersal of plutonium 90
DP process
effect of Cu powder as compacting material on the discharge characteristics of negative electrodes in Ni–MH batteries 271

Elsevier Science S.A.
PII 0925-8388(97)00633-6

^{161}Dy Mössbauer effect
^{161}Dy Slater–Pauling dependence of $Dy(Mn_xCo_{1-x})_2$ intermetallics 47

Electrical properties
crystal structure and properties of $YbAg_2In_4$ and $CaAg_2In_4$ compounds 17
structural anomaly in GdNiAl: a crystallographic, electric and magnetic investigation 22
physical properties of $ErFe_4Ge_2$ 26
Electrical resistivity, NMR
synthesis, crystal structure and properties of a lithium manganese nitride, $(Li, Mn)_2N$ 32
Electrochemical property
investigations on $ML(NiCoMnTi)_5$ alloys prepared with different solidification rates 300
Electronic structure
Hf_5CoAs_3, the first Hf rich hafnium cobalt arsenide: intercalation of Co vs. a Co/As exchange 139
E.m.f. measurements
thermochemical studies on $BaMoO_4$(s) 77
Enthalpy of formation
standard enthalpies of formation of some alloys formed between Group IV elements and Group VIII elements, determined by high-temperature direct synthesis calorimetry. I. Alloys of (Ti, Zr, Hf) with (Rh, Pd, Pt) 224
Enthalpy of mixing
thermodynamics of the [Rh–In] system 241
EPMA
change in the itinerant-electron metamagnetic transition behavior by annealing in $Lu(Co_{1-x}Al_x)_2$ Laves phase compounds 13
Ethylene glycol
low temperature powder synthesis of $LaAlO_3$ through in situ polymerization route utilizing citric acid and ethylene glycol 129
Eutectic microstructure
influence of the microstructure on the desorption kinetics of single- and multiphase LaNiFe alloys 255
Eutectoid
the uranium–vanadium equilibrium phase diagram 167
EXAFS
structural changes in Co/Zr multilayers during annealing below the crystallisation temperature 207
Explosion
a mechanism for combustive heating and explosive dispersal of plutonium 90
External gettering
solid state deoxidation of niobium by calcium and magnesium 247

Fe–Al alloys
an investigation of mechanically alloyed Fe–Al 234
Fe–Mössbauer spectroscopy
an investigation of mechanically alloyed Fe–Al 234
Formation enthalpy
thermochemical studies on $BaMoO_4$(s) 77
calorimetric determination of standard molar enthalpies of formation of gadolinium silicides and germanides 186

Gadolinium silicides
calorimetric determination of standard molar enthalpies of formation of gadolinium silicides and germanides 186
Growth
experimental verification of the formal nucleation and growth rate equations – initial UH_3 development on uranium surface 180

Hafnium alloys
standard enthalpies of formation of some alloys formed between Group IV elements and Group VIII elements, determined by high-temperature direct synthesis calorimetry. I. Alloys of (Ti, Zr, Hf) with (Rh, Pd, Pt) 224
HDDR
preparation of anisotropic NdFeB magnets with different Nd contents by hot deformation (die-upsetting) using hot-pressed HDDR powders 260
Heat capacity
heat capacity of liquid La–Mg–Ni alloys 216
Heterogeneous alloys
influence of the microstructure on the desorption kinetics of single- and multiphase LaNiFe alloys 255
Heusler alloy
phase equilibria and heusler phase stability in the Cu-rich portion of the Cu–Al–Mn system 191
High energy ball milling
different oxidation reactions of ilmenite induced by high energy ball milling 150
High temperature
theoretical evaluation for thermodynamic stability of constituents of hydrogen storage alloy in concentrated alkaline solution at higher temperature 111
High temperature calorimetry
thermodynamics of the [Rh–In] system 241
High temperature direct synthesis calorimetry
standard enthalpies of formation of some alloys formed between Group IV elements and Group VIII elements, determined by high-temperature direct synthesis calorimetry. I. Alloys of (Ti, Zr, Hf) with (Rh, Pd, Pt) 224
Hydrogen absorption
experimental verification of the formal nucleation and growth rate equations – initial UH_3 development on uranium surface 180
Hydrogen diffusion
influence of the microstructure on the desorption kinetics of single- and multiphase LaNiFe alloys 255
Hydrogen dissolution
B2-phase formation and hydriding properties of $(Mg_{1-x}Al_x)Ni$ (x= 0~0.5) L1
Hydrogen-storage alloy
investigations on $ML(NiCoMnTi)_5$ alloys prepared with different solidification rates 300
Hydrogen-storage alloys
hydrogenation of Pd-coated samples of the Ti–Zr-based icosahedral phase and related crystalline phases 311
bulk and surface properties of crystalline and amorphous $Zr_{36}(V_{0.33}Ni_{0.66})_{64}$ alloy as active electrode material 321
Hyperfine interactions
^{161}Dy Slater–Pauling dependence of $Dy(Mn_xCo_{1-x})_2$ intermetallics 47

Ilmenite, oxidation
different oxidation reactions of ilmenite induced by high energy ball milling 150
Indium compounds
crystal structure and properties of $YbAg_2In_4$ and $CaAg_2In_4$ compounds 17
Inelastic neutron scattering (INS)
X-ray and neutron scattering study of the Nb-O solid solutions 230
In situ polymerization
low temperature powder synthesis of $LaAlO_3$ through in situ polymerization route utilizing citric acid and ethylene glycol 129
Interatomic distances
structural changes in Co/Zr multilayers during annealing below the crystallisation temperature 207
Intermetallic compounds
calorimetric determination of standard molar enthalpies of formation of gadolinium silicides and germanides 186

Intermetallics
crystal structure and properties of $YbAg_2In_4$ and $CaAg_2In_4$ compounds 17
^{161}Dy Slater–Pauling dependence of $Dy(Mn_xCo_{1-x})_2$ intermetallics 47

Kinetics
oxidation kinetics of plutonium in air from 500 to 3500°C. Application to source terms for dispersal 81

$LaAlO_3$
low temperature powder synthesis of $LaAlO_3$ through in situ polymerization route utilizing citric acid and ethylene glycol 129

La–Mg–Ni
heat capacity of liquid La–Mg–Ni alloys 216

$LaNi_5$
theoretical evaluation for thermodynamic stability of constituents of hydrogen storage alloy in concentrated alkaline solution at higher temperature 111

La–Ni–Fe
influence of the microstructure on the desorption kinetics of single- and multiphase LaNiFe alloys 255

Lanthanide hexacyanocobaltate(III) *n*-methanol
studies on the interaction between lanthanide ions and ligands in solid complexes of lanthanide hexacyanometalates. Part III. Synthesis and thermal properties of a series of lanthanide hexacyanocobaltate(III) *n*-methanols 123

Lattice parameter
effect of pressure on the composition and superconducting T_c value of NbN prepared by combustion synthesis 201

LiBr
raman spectroscopic study of molten $ZnBr_2$–MBr (M=Li, Na) mixtures 145

Liquid alloys
thermodynamics of the [Rh–In] system 241

Lixiviation
increase of specific surface area of metal hydrides by lixiviation 307

$Lu(Co_{1-x}Al_x)_2$
change in the itinerant-electron metamagnetic transition behavior by annealing in $Lu(Co_{1-x}Al_x)_2$ Laves phase compounds 13

Magnesium deoxidation
solid state deoxidation of niobium by calcium and magnesium 247

Magnesium-nickel system
B2-phase formation and hydriding properties of $(Mg_{1-x}Al_x)Ni$ (x= 0~0.5) L1

Magnetic anisotropy
magnetic properties of $Pr_2Co_{17-x}Ga_x$ compounds 43

Magnetic dilution
magnetic properties of $Pr_2Co_{17-x}Ga_x$ compounds 43

Magnetic properties
crystal structure and properties of $YbAg_2In_4$ and $CaAg_2In_4$ compounds 17
structural anomaly in GdNiAl: a crystallographic, electric and magnetic investigation 22
physical properties of $ErFe_4Ge_2$ 26
magnetic properties of $Pr_2Co_{17-x}Ga_x$ compounds 43
preparation, crystal structure and magnetic properties of the uranium nickel phosphides UNi_3P_2, UNi_4P_2, $U_6Ni_{20}P_{13}$ and $U_2Ni_{12}P_7$ 71
Hf_5CoAs_3, the first Hf rich hafnium cobalt arsenide: intercalation of Co vs. a Co/As exchange 139
an investigation of mechanically alloyed Fe–Al 234

Magnetic structure
antiferromagnetic order in the $ThCr_2Si_2$ type phosphides $CaCo_2P_2$ and $CeCo_2P_2$ 54
neutron diffraction study of the $La_{1-x}Y_xMn_2Si_2$ solid solution ($0 \leq x \leq 1$) 61

Magnetic susceptibilities and XAS (ground state Yb^{2+})
novel ytterbium-zinc-silicides and germanides grown from zinc-flux 7

Magnetic susceptibility
synthesis, crystal structure and properties of a lithium manganese nitride, $(Li, Mn)_2N$ 32
antiferromagnetic order in the $ThCr_2Si_2$ type phosphides $CaCo_2P_2$ and $CeCo_2P_2$ 54

Magnetic transformation
phase equilibria and heusler phase stability in the Cu-rich portion of the Cu–Al–Mn system 191

Magnetism
magnetic properties and structural chemistry of the solid solution $La_5B_2C_6$–$Gd_5B_2C_6$ 1

Manganese moment
neutron diffraction study of the $La_{1-x}Y_xMn_2Si_2$ solid solution ($0 \leq x \leq 1$) 61

Martensitic structures
the uranium–vanadium equilibrium phase diagram 167

Mechanical grinding
synthesis of Sm_2Fe_{17}-carbonitrides by mechanical grinding Sm_2Fe_{17} with pyrazine 318

Mechanically alloying
an investigation of mechanically alloyed Fe–Al 234

Mechanochemistry
different oxidation reactions of ilmenite induced by high energy ball milling 150
synthesis of alumina-nitride nanocomposites by successive reduction-nitridation in mechanochemically activated reactions 283

Metal hydride
degradation behavior of Cu-coated Ti–Zr–V–Mn–Ni metal hydride electrodes 266

Metal hydride electrode
effect of Cu powder as compacting material on the discharge characteristics of negative electrodes in Ni–MH batteries 271
bulk and surface properties of crystalline and amorphous $Zr_{36}(V_{0.33}Ni_{0.66})_{64}$ alloy as active electrode material 321

Metal hydrides
increase of specific surface area of metal hydrides by lixiviation 307

Metal–metal bonding
preparation and crystal structure of quaternary silicide carbides with $Dy_2Fe_2Si_2C$ type structure 158

Metal-rich arsenide
Hf_5CoAs_3, the first Hf rich hafnium cobalt arsenide: intercalation of Co vs. a Co/As exchange 139

Metamagnetic transition
change in the itinerant-electron metamagnetic transition behavior by annealing in $Lu(Co_{1-x}Al_x)_2$ Laves phase compounds 13

Microstructure
effect of pressure on the composition and superconducting T_c value of NbN prepared by combustion synthesis 201

Miscibility gap island
phase equilibria and heusler phase stability in the Cu-rich portion of the Cu–Al–Mn system 191

Molten mixture
raman spectroscopic study of molten $ZnBr_2$–MBr (M=Li, Na) mixtures 145

NaBr
raman spectroscopic study of molten $ZnBr_2$–MBr (M=Li, Na) mixtures 145

Nanocrystalline materials
increase of specific surface area of metal hydrides by lixiviation 307

NbN
effect of pressure on the composition and superconducting T_c value

of NbN prepared by combustion synthesis 201
NdFeB
preparation of anisotropic NdFeB magnets with different Nd contents by hot deformation (die-upsetting) using hot-pressed HDDR powders 260
Neutron diffraction
crystal structure of Er_2Fe_{17} nitride 39
antiferromagnetic order in the $ThCr_2Si_2$ type phosphides $CaCo_2P_2$ and $CeCo_2P_2$ 54
Niobium-oxygen
X-ray and neutron scattering study of the Nb-O solid solutions 230
Nitrides
effect of pressure on the composition and superconducting T_c value of NbN prepared by combustion synthesis 201
synthesis of alumina-nitride nanocomposites by successive reduction-nitridation in mechanochemically activated reactions 283
Nucleation
experimental verification of the formal nucleation and growth rate equations – initial UH_3 development on uranium surface 180

Order–disorder transition
phase equilibria and heusler phase stability in the Cu-rich portion of the Cu–Al–Mn system 191
Oxidation
oxidation kinetics of plutonium in air from 500 to 3500°C. Application to source terms for dispersal 81
a mechanism for combustive heating and explosive dispersal of plutonium 90
oxidation study of bulk and powdered $Sm_2(Fe_{0.5}Co_{0.5})_{17}N_x$ (x=0, 2.9) compounds 293
Oxygen solubility
solid state deoxidation of niobium by calcium and magnesium 247

Peritectic reaction
room-temperature phases observed in $Ti_{53-x}Ni_{47}Zr_x$ high-temperature shape memory alloys 276
Permanent magnet
oxidation study of bulk and powdered $Sm_2(Fe_{0.5}Co_{0.5})_{17}N_x$ (x=0, 2.9) compounds 293
λ_1 phase
room-temperature phases observed in $Ti_{53-x}Ni_{47}Zr_x$ high-temperature shape memory alloys 276
Phase diagram(s)
the uranium–vanadium equilibrium phase diagram 167
thermodynamics of the [Rh–In] system 241
Phase diagram of $RAlO_3$
orthorhombic to trigonal phase transition of perovskite-type $(Nd_x,Sm_{1-x})AlO_3$ 104
Phase equilibria
phase equilibria and heusler phase stability in the Cu-rich portion of the Cu–Al–Mn system 191
Phase transition
orthorhombic to trigonal phase transition of perovskite-type $(Nd_x,Sm_{1-x})AlO_3$ 104
Plutonium
oxidation kinetics of plutonium in air from 500 to 3500°C. Application to source terms for dispersal 81
a mechanism for combustive heating and explosive dispersal of plutonium 90
Polymer gel
low temperature powder synthesis of $LaAlO_3$ through in situ polymerization route utilizing citric acid and ethylene glycol 129
Polymeric precursor method
synthesis of ultrafine $BaTiO_3$ particles from polymeric precursor: their structure and surface property 118
Polymerized complex method
low temperature powder synthesis of $LaAlO_3$ through in situ polymerization route utilizing citric acid and ethylene glycol 129
Potential–pOH diagram
theoretical evaluation for thermodynamic stability of constituents of hydrogen storage alloy in concentrated alkaline solution at higher temperature 111
Praseodymium intermetallics
magnetic properties of $Pr_2Co_{17-x}Ga_x$ compounds 43
Pyrazine
synthesis of Sm_2Fe_{17}-carbonitrides by mechanical grinding Sm_2Fe_{17} with pyrazine 318

Quasicrystals
hydrogenation of Pd-coated samples of the Ti–Zr-based icosahedral phase and related crystalline phases 311

Radial distribution
structural changes in Co/Zr multilayers during annealing below the crystallisation temperature 207
Raman spectra
studies on the interaction between lanthanide ions and ligands in solid complexes of lanthanide hexacyanometalates. Part III. Synthesis and thermal properties of a series of lanthanide hexacyanocobaltate(III) n-methanols 123
Raman Spectroscopy
raman spectroscopic study of molten $ZnBr_2$–MBr (M=Li, Na) mixtures 145
Rare-earth
crystal structure of a new compound Bi_2NdNi 155
Rare earth borocarbide
magnetic properties and structural chemistry of the solid solution $La_5B_2C_6$–$Gd_5B_2C_6$ 1
Rare earth cobalt compounds
magnetic properties of $Pr_2Co_{17-x}Ga_x$ compounds 43
Rare earth compounds nitrides
crystal structure of Er_2Fe_{17} nitride 39
Rare earth manganese silicides
neutron diffraction study of the $La_{1-x}Y_xMn_2Si_2$ solid solution ($0 \leq x \leq 1$) 61
Rare earth transition metal silicide carbides
preparation and crystal structure of quaternary silicide carbides with $Dy_2Fe_2Si_2C$ type structure 158
Rate capability
effect of Cu powder as compacting material on the discharge characteristics of negative electrodes in Ni–MH batteries 271
Rate equations
experimental verification of the formal nucleation and growth rate equations – initial UH_3 development on uranium surface 180
Reduction
synthesis of alumina-nitride nanocomposites by successive reduction-nitridation in mechanochemically activated reactions 283
Rhodium–indium alloy
thermodynamics of the [Rh–In] system 241

SHS
effect of pressure on the composition and superconducting T_c value of NbN prepared by combustion synthesis 201
Slater–Pauling dependence
161Dy Slater–Pauling dependence of $Dy(Mn_xCo_{1-x})_2$ intermetallics 47
Sm_2Fe_{17}
oxidation study of bulk and powdered $Sm_2(Fe_{0.5}Co_{0.5})_{17}N_x$ (x=0, 2.9) compounds 293
Sm_2Fe_{17}-carbonitrides
synthesis of Sm_2Fe_{17}-carbonitrides by mechanical grinding Sm_2Fe_{17} with pyrazine 318

Solidification rate
investigations on $ML(NiCoMnTi)_5$ alloys prepared with different solidification rates 300
Solid solution system $Tm_{1-x}Ca_xO_{1-x}F_{1+x}$
on the thermodynamics of the rhombohedral-cubic phase transition of thulium(III)oxide fluoride 134
Solution drop calorimetry
calorimetric determination of standard molar enthalpies of formation of gadolinium silicides and germanides 186
Specific surface area
increase of specific surface area of metal hydrides by lixiviation 307
Structure
investigations on $ML(NiCoMnTi)_5$ alloys prepared with different solidification rates 300
Structure of $(Nd_x,Sm_{1-x})AlO_3$
orthorhombic to trigonal phase transition of perovskite-type $(Nd_x,Sm_{1-x})AlO_3$ 104
Superconducting critical temperature
effect of pressure on the composition and superconducting T_c value of NbN prepared by combustion synthesis 201
Superconductivity
magnetic properties and structural chemistry of the solid solution $La_5B_2C_6$–$Gd_5B_2C_6$ 1
Surface property
synthesis of ultrafine $BaTiO_3$ particles from polymeric precursor: their structure and surface property 118

Ternary cobalt phosphides
antiferromagnetic order in the $ThCr_2Si_2$ type phosphides $CaCo_2P_2$ and $CeCo_2P_2$ 54
Ternary nitride
synthesis, crystal structure and properties of a lithium manganese nitride, $(Li, Mn)_2N$ 32
Ternary phase diagram
phase diagram of the Co-rich Co–Pr–Nd system at 500 °C 164
Ternary rare earth intermetallics
structural anomaly in GdNiAl: a crystallographic, electric and magnetic investigation 22
physical properties of $ErFe_4Ge_2$ 26
Thermal analysis
studies on the interaction between lanthanide ions and ligands in solid complexes of lanthanide hexacyanometalates. Part III. Synthesis and thermal properties of a series of lanthanide hexacyanocobaltate(III) *n*-methanols 123
Thermal desolvation
studies on the interaction between lanthanide ions and ligands in solid complexes of lanthanide hexacyanometalates. Part III. Synthesis and thermal properties of a series of lanthanide hexacyanocobaltate(III) *n*-methanols 123
Thermodynamics
thermodynamics of the [Rh–In] system 241
Thermodynamics of rhombohedral→cubic phase transition
on the thermodynamics of the rhombohedral-cubic phase transition of thulium(III)oxide fluoride 134
Thermodynamic stability
theoretical evaluation for thermodynamic stability of constituents of hydrogen storage alloy in concentrated alkaline solution at higher temperature 111
Thulium(III)oxide fluoride
on the thermodynamics of the rhombohedral-cubic phase transition of thulium(III)oxide fluoride 134
(Ti,Zr)Ni phase
room-temperature phases observed in $Ti_{53-x}Ni_{47}Zr_x$ high-temperature shape memory alloys 276
$(Ti,Zr)_2Ni$ phase
room-temperature phases observed in $Ti_{53-x}Ni_{47}Zr_x$ high-temperature shape memory alloys 276
$Ti_{53-x}Ni_{47}Zr_x$ shape memory alloys
room-temperature phases observed in $Ti_{53-x}Ni_{47}Zr_x$ high-temperature shape memory alloys 276
Titanium alloys
standard enthalpies of formation of some alloys formed between Group IV elements and Group VIII elements, determined by high-temperature direct synthesis calorimetry. I. Alloys of (Ti, Zr, Hf) with (Rh, Pd, Pt) 224
Titanium oxide
degradation behavior of Cu-coated Ti–Zr–V–Mn–Ni metal hydride electrodes 266
Ti–Zr–Ni alloys
hydrogenation of Pd-coated samples of the Ti–Zr-based icosahedral phase and related crystalline phases 311

Ultrafine $BaTiO_3$
synthesis of ultrafine $BaTiO_3$ particles from polymeric precursor: their structure and surface property 118
Uranium
experimental verification of the formal nucleation and growth rate equations – initial UH_3 development on uranium surface 180
Uranium alloys
the uranium–vanadium equilibrium phase diagram 167
Uranium nickel phosphides
preparation, crystal structure and magnetic properties of the uranium nickel phosphides UNi_3P_2, UNi_4P_2, $U_6Ni_{20}P_{13}$ and $U_2Ni_{12}P_7$ 71

V_2C
the uranium–vanadium equilibrium phase diagram 167
Vibrational frequency spectra
X-ray and neutron scattering study of the Nb-O solid solutions 230

X-ray diffraction
orthorhombic to trigonal phase transition of perovskite-type $(Nd_x,Sm_{1-x})AlO_3$ 104
X-Ray single crystal refinement ($BaAl_4$) and Rietveld powder refinement ($ThSi_2$, $GdSi_2$)
novel ytterbium-zinc-silicides and germanides grown from zinc-flux 7

$Yb(Zn,Ge)_4$ with $BaAl_4$-type
novel ytterbium-zinc-silicides and germanides grown from zinc-flux 7
$Yb(Zn,Si)_4$
novel ytterbium-zinc-silicides and germanides grown from zinc-flux 7
$Yb(Zn,Si)_2$ with $GdSi_2$-type
novel ytterbium-zinc-silicides and germanides grown from zinc-flux 7
$Yb(Zn,Si)_2$ with $ThSi_2$-type
novel ytterbium-zinc-silicides and germanides grown from zinc-flux 7
Ytterbium-zinc-silicides (germanides)
novel ytterbium-zinc-silicides and germanides grown from zinc-flux 7

Zirconium alloys
standard enthalpies of formation of some alloys formed between Group IV elements and Group VIII elements, determined by high-temperature direct synthesis calorimetry. I. Alloys of (Ti, Zr, Hf) with (Rh, Pd, Pt) 224
$ZnBr_2$
raman spectroscopic study of molten $ZnBr_2$–MBr (M=Li, Na) mixtures 145
Zr based alloys
bulk and surface properties of crystalline and amorphous $Zr_{36}(V_{0.33}Ni_{0.66})_{64}$ alloy as active electrode material 321